

# SAFETY DATA SHEET

## NORBO 52 BASE OIL (SN 300)

Infosafe No.: LQ547  
ISSUED Date : 13/11/2018  
ISSUED by: NORTHERN OIL REFINERIES PTY  
LTD

### 1. IDENTIFICATION

**GHS Product Identifier**

NORBO 52 BASE OIL (SN 300)

**Company Name**

NORTHERN OIL REFINERIES PTY LTD

**Address**

39 Guerassimoff Road Yarwun  
QLD 4694 Australia

**Telephone/Fax Number**

Tel: +61 7 4975 2666

Fax: +61 7 4975 2677

**Emergency phone number**

+61 7 4975 2666

**Recommended use of the chemical and restrictions on use**

Exclusively for producing lubricant and hydraulic oils.

### 2. HAZARD IDENTIFICATION

**GHS classification of the substance/mixture**

Not classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

**Other Information**

This product contains Ototoxic substances.

Combination with noise exposure, even at safe levels, could still cause auditory injuries and hearing loss.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Ingredients**

Name	CAS	Proportion
Lubricating oils, petroleum, used, noncatalytically refined	101316-73-8	100 %

### 4. FIRST-AID MEASURES

**Inhalation**

If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

**Ingestion**

Do not induce vomiting. Wash out mouth thoroughly with water. Seek medical attention.

**Skin**

Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.

**Eye contact**

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and/or persist seek medical attention.

**First Aid Facilities**

Eyewash and normal washroom facilities.

**Advice to Doctor**

Treat symptomatically.

**Other Information**

For advice in an emergency, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once.

---

## 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media**

Use carbon dioxide, dry chemical, alcohol resistant foam, water spray or water fog.

**Hazards from Combustion Products**

Under fire conditions this product may emit toxic and/or irritating fumes including oxides of nitrogen, carbon monoxide and carbon dioxide.

**Specific Hazards Arising From The Chemical**

This product will burn if exposed to fire.

**Decomposition Temperature**

Not available

**Precautions in connection with Fire**

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

---

## 6. ACCIDENTAL RELEASE MEASURES

**Emergency Procedures**

Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

---

## 7. HANDLING AND STORAGE

**Precautions for Safe Handling**

Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous residues. Maintain high standards of personal hygiene by washing hands prior to eating, drinking, smoking or using toilet facilities.

**Conditions for safe storage, including any incompatibilities**

Store in a cool, dry, well-ventilated area away from sources of ignition, oxidising agents, strong acids, foodstuffs, and clothing. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. Ensure that storage conditions comply with applicable local and national regulations.

For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids.

**Corrosiveness**

Non corrosive

**Storage Regulations**

Classified as a Class C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS1940.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

**Occupational exposure limit values**

No exposure standards have been established for this material, however, the TWA exposure standards for refined mineral oil mist is 5 mg/m<sup>3</sup>. As with all chemicals, exposure should be kept to the lowest possible levels.

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

Source: Safe Work Australia

**Biological Limit Values**

No biological limits allocated.

**Appropriate Engineering Controls**

Use with good general ventilation. If mists or vapours are produced, local exhaust ventilation should be used.

**Respiratory Protection**

Provide sufficient ventilation to keep airborne levels below the exposure limits or as low as possible. Where vapours or mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a flameproof exhaust ventilation system is required. Refer to relevant regulations for further information concerning ventilation requirements.

Refer to AS 1940 - The storage and handling of flammable and combustible liquids and AS/NZS 60079.10.1 Explosive atmospheres - Classification of areas - Explosive gas atmospheres, for further information concerning ventilation requirements.

**Eye Protection**

Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 (series) - Eye Protectors for Industrial Applications.

**Hand Protection**

Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations.

Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

**Body Protection**

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Properties	Description	Properties	Description
Form	Liquid	Appearance	Clear, bright oil
Odour	Negligible	Decomposition Temperature	Not available
Melting Point	Not available	Boiling Point	>420°C
Solubility in Water	Negligible	pH	Not available
Vapour Pressure	<0.1mmHg(20°C)	Vapour Density (Air=1)	>2.0
Evaporation Rate	Not available	Odour Threshold	Not available
Volatile Component	5.5%	Pour Point	-6°C max
Partition Coefficient: n-octanol/water	Not available	Density	0.87kg/l (15°C)
Flash Point	200°C min (ASTM D93)	Flammability	Not flammable
Auto-Ignition Temperature	Not available	Flammable Limits - Lower	Not available
Flammable Limits - Upper	Not available	Kinematic Viscosity	47-57cSt (40°C) 6.7-8.6cSt (100°C)

## 10. STABILITY AND REACTIVITY

### Chemical Stability

Stable under normal conditions of handling and storage.

### Reactivity and Stability

Reacts with incompatible materials.

### Conditions to Avoid

Heat, direct sunlight, open flames or other sources of ignition.

### Incompatible materials

Strong oxidising agents.

### Hazardous Decomposition Products

Thermal decomposition may result in the release of toxic and/or irritating fumes, smoke and gases including: carbon monoxide and carbon dioxide.

### Hazardous Polymerization

Will not occur.

## 11. TOXICOLOGICAL INFORMATION

### Toxicology Information

No toxicity data available for this material.

### Ingestion

Ingestion of this product may irritate the gastric tract causing nausea and vomiting.

### Inhalation

Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.

### Skin

May be irritating to skin. The symptoms may include redness, itching and swelling.

### Eye

May be irritating to eyes. The symptoms may include redness, itching and tearing.

### Respiratory sensitisation

Not expected to be a respiratory sensitiser.

**Skin Sensitisation**

Not expected to be a skin sensitiser.

**Germ cell mutagenicity**

Not considered to be a mutagenic hazard.

**Carcinogenicity**

Not considered to be a carcinogenic hazard.

Petroleum solvents is listed as a Group 3: Not classifiable as to carcinogenicity to humans according to International Agency for Research on Cancer (IARC).

**Reproductive Toxicity**

Not considered to be toxic to reproduction.

**STOT-single exposure**

Not expected to cause toxicity to a specific target organ.

**STOT-repeated exposure**

Not expected to cause toxicity to a specific target organ.

**Aspiration Hazard**

Not expected to be an aspiration hazard.

**Other Information**

This product contains Ototoxic substances.

Combination with noise exposure, even at safe levels, could still cause auditory injuries and hearing loss.

---

**12. ECOLOGICAL INFORMATION**

---

**Ecotoxicity**

No ecological data available for this material.

**Persistence and degradability**

Not available

**Mobility**

Not available

**Bioaccumulative Potential**

Not available

**Other Adverse Effects**

Not available

**Environmental Protection**

Prevent this material entering waterways, drains and sewers.

---

**13. DISPOSAL CONSIDERATIONS**

---

**Disposal considerations**

The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.

---

**14. TRANSPORT INFORMATION**

---

**Transport Information**

Road and Rail Transport (ADG Code):

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).

Marine Transport (IMO/IMDG):

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport (ICAO/IATA):

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

**U.N. Number**

None Allocated

**UN proper shipping name**

None Allocated

**Transport hazard class(es)**

None Allocated

**IMDG Marine pollutant**

No

**Transport in Bulk**

Not available

**Special Precautions for User**

Not available

## 15. REGULATORY INFORMATION

---

**Regulatory information**

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

**Poisons Schedule**

S5

## 16. OTHER INFORMATION

---

**Date of preparation or last revision of SDS**

SDS Reviewed: November 2018

SDS amendment: September 2016

1. Identification

9. Physical and chemical properties

Supersedes: August 2014

**References**

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

Workplace exposure standards for airborne contaminants.

Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH).

Globally Harmonised System of Classification and Labelling of Chemicals.

Code of Practice: Managing Noise and Preventing Hearing Loss at Work.

## END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.